

Receiving Report

Date: 12/2/8

Batch No: 2120607

Supplier: THY S/Co.

Dart P/O: 16032

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒
 Shipment Complete: Yes ☐ No ☒ N/A ☐
 QC6 Inspection ☒ N/A ☒
 Work Order m/m/u N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M 307	5226A	160	0	0	160	

Initials of receiver (if shipment OK) Level 12 h

Production/Admin: 12/2/8
 Date
 Received/Costing
 Initial C

Location _____

Purchase Order Receipt Listing

Wednesday, February 08, 2012 9:05:15 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO16032 Receipt Dates from 2/8/2012 to 2/8/2012 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date Required Qty	Recv Date/ Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRRB Qty/ Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO16032	1		M304S11GA	sf	2/3/2012	2/8/2012	32.0000	\$9.66	0.0000	0	\$309.13
CAD	No		304/316 0.125 Sheet	sf	32.0000	DESI02		\$309.13	0.0000	0	
			120604								
	2		M304S18GA	sf	2/3/2012	2/8/2012	128.0000	\$3.88	0.0000	0	\$497.18
	No		304/316 .050 Sheet	sf	128.0000	DESI02		\$497.18	0.0000	0	
			120604								
	3		M304S20GA	sf	2/3/2012	2/8/2012	160.0000	\$3.03	0.0000	0	\$485.46
	No		304/316 .040 Sheet	sf	160.0000	DESI02		\$485.46	0.0000	0	
			120604								
Total Received Quantity:											320.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$1,291.77
Total Balance Due Quantity:											0.0000

1
4
5

DATE

TOUITES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT TRE
RAPPORTES IMMDIATEMENT
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMRO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

LIVE

Page: 1 ...Continued

Heat Number
7310313
A2101093

*** Chemical Analysis ***

TOTAL: Tags 3 PCS 10
LBS 624

1) Our Order PEC-414017- 1 Your PO # 16032 STAINLESS STEEL SHEET 304-2B Heat Number Tag No 32421 U2118412	2) Our Order PEC-414017- 2 Your PO # 16032 STAINLESS STEEL SHEET 304-2B Heat Number Tag No 32425 7310313	3) Our Order PEC-414017- 3 Your PO # 16032 STAINLESS STEEL SHEET 304-2B Heat Number Tag No 32422 A2101093	4) Our Order PEC-414017- 4 Your PO # 16032 STAINLESS STEEL SHEET 304-2B Heat Number Tag No 32422 A2101093 THIS ITEM IS BACK ORDERED
Quantity 32.00 SFT PCS 1 MTR	Quantity 128.00 SFT PCS 4 MTR	Quantity 160.00 SFT PCS 5 MTR	Quantity 160.00 SFT PCS 5 MTR
Wt LBS 151	Wt LBS 245	Wt LBS 228	Wt LBS 228

Ship From: THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033
Ship To: DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

Ship Date 01Feb12 at 11:28 From PFW
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0 - 0 Manifest
Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

B I L L O F L A D I N G

No: PEC 750657

No: PEC 750657

Ship Date 01Feb12 at 11:28 From PFW

Probill

VIM TRANSFER

CONCORD

PREPAID

0 - 0 Manifest

Trailer

Slip STAN IVERS (905-532-1350)

Sold To: (20115)

DART AEROSPACE

B I L L O F L A D I N G

Ship From:

THYSSENKRUPP MATERIALS NA

2821 LANGSTAFF ROAD

CONCORD, ONTARIO L4K 5C6

Tel: 905 669 9444 Fax: 9057389033

Ship To: (1)

DART AEROSPACE

B I L L O F L A D I N G

UZ118412

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

TOTAL ITEMS (1,2,3) 1 SKID G.W. 709 LBS

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA CONCORD, ONT. * 9:00 AM TO 4:00 PM ***

TEL. 800-926-2600 ***

WE STOCK STAINLESS STEEL

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT

*****PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER.***

Page: 2 ... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY.
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

11/02

DATE

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION
TVO/GST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

LIANZHONG STAINLESS STEEL CORP.

EN 10204-3.1

Customer: OUBERT METAL SALES LIMITED

Customer No.: FB0001

Order No.: UAL102201

Product: COLD ROLLED STAINLESS STEEL SHEET IN COIL No. 2B

Specification/Steel Grade: ASTM A240-09 S30400/S30403

Surface Finish: No. 2B

Certificate No.: B11097401

Date: 2011-APR-7

With consent of TUV, Certificate no. 01 202 CHUQ-10591, dated April 10, 2010

Requirements: PED 97/23/EC

Page: 1 / 1

Test Temp.: 22°C

5030 COPY

No. 1 Langang Road, East Section, Economy & Technology Development Zone, Quesangzhou, China

TEL: +86-020-32101848

FAX: +86-020-32108822

Product ID

Heat No.

Dimension

QTY

Weight(Kg)

Test

12S710385B

U2118412

0.1200 inch *48

1

6.648

OK

12S710385C

U2118412

0.1200 inch *48

1

7.063

OK

12S710385D

U2118412

0.1200 inch *48

1

6.553

OK

Subtotal 20,264

Product ID

Max. Max.

12S710385B

0.030

12S710385C

0.030

12S710385D

0.030

Chemical Composition

C

Si

Mn

P

S

NI

Cr

N

0.030

0.75

0.80

0.045

0.030

12.00

19.50

0.100

0.030

0.80

0.98

0.031

0.003

8.03

18.30

0.061

0.030

0.81

0.98

0.031

0.003

8.03

18.30

0.061

0.030

0.61

0.98

0.031

0.003

8.03

18.30

0.061

Proof Stress (N/mm²)

0.2%

1.0%

Tensile Stress (N/mm²)

Elong. (%)

Hardness Test

170 min.

308 min.

357 min.

40 min.

92

12S710385B

308

357

51

87

179

12S710385C

308

357

51

87

179

12S710385D

308

357

51

87

179

Specimen No.

1.1 Tensile Test EN 10002-1:2001

1.2 IC Test: Method A of EN ISO 5651-2:1998

2 Positive material identification conducted

3 The heat treatment temp. is around 1060°C±50°C.

the recrystallization annealing temp. is around 1100°C±50°C.

Remarks:

Heat No.

Product ID

Steel grade

Manufacturers mark

Works Inspector's Stamp

Works Inspector

LZ-1A-A-0004 第3版 2011-02-01

PO/Rel 16032

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Signed by:

Doc No. 124745 Indexed 21Dec11 by slssup1

AK Steel		AK Steel Corporation Metallurgical Test Report Rockport Works Rockport, IN 47635		Page 1								
C H E E T		S H E E T		B U Y E R S O R D E R N O.								
OLBERT METAL SALES LIMITED 989 DERRY ROAD EAST SUITE 305 MISSISSAUGA, ON, CN L5T 2-J8		OLBERT METAL SALES LIMITED C/O EXCELSIOR STEEL PROCESSING 34 CARSON STREET TORONTO ON, CN M4W 1-T2		265546-4302 TO-1745-004 PART NO. 304-0304L 1X148 ENGLISH UNITS - PRODUCT - METRIC UNITS 4480 NOM 48.000 X COIL								
COIL ID	PIECE	WEAT	PARENT COIL ID	NET WEIGHT	OUTSIDE PROCESSOR ID							
607776-428A	1	73M313	607776-12B	24.791 LBS. 9.430 KG.	42463991							
TOTAL COILS		TOTAL PIECES		TOTAL NET WEIGHT								
1		1		24.791 LBS. 9.430 KG.								
Ladle Analysis of Heat P-Product Analysis of Parent Coil												
CHEMICAL ANALYSIS												
ID	C	MN	P	S	SI	CR	NI	MO	N	CU		
L 73M313	.022	1.248	.023	.0026	.396	18.03	8.06	.25	.0310	.29		
REMARKS: NO INTENTIONAL ADDITIONS OF MERCURY OR MERCURY COMPOUNDS WERE MADE OR USED THROUGHOUT THE PROCESSING AND TESTING OF THIS MATERIAL MATERIAL FREE OF RADIOACTIVE ISOTOPES MELTED & MFG IN THE USA												
PRODUCT DESCRIPTION												
CR. SHEET TYPE 304/304L STAINLESS STEEL FINISH SLIT EDGE * ASTM A 240 -11 (ONE 530400/S30403) * ASTM A 480 -11 EX PARA 25.1.1.3 COIL WILL BE TAPPED ON OUTSIDE ONLY * ASME SA-240 SECTION II PART A 2010 EDITION * ASME SA-480 SECTION II PART A 2010 EDITION * AS TH A 262 -10 PRACTICE E												
SHIPPING DATE: 07/29/2011												
THE CHEMICAL ANALYSIS AND PHYSICAL OR MECHANICAL TESTS REPORTED ABOVE ARE CONDUCTED IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARD ALL TESTS WERE DONE IN ACCORDANCE WITH ASTM STANDARD LINES OTHERWISE NOTED												
AK Steel Corporation												
INFO@AKSTEEL.COM												
SIGNED: <i>R. Alvest</i> DATE: 07/29/2011 TIME: 09:38 AM												
THIS CERTIFIED TEST REPORT HAS BEEN EXAMINED BY A COMPOSER OF MATERIAL PURCHASED FROM AK Steel Corporation. TO AVOID THE LIABILITY OF ITS ISSUANCE ON BEHALF OF THE REPORT TO A THIRD PARTY IT MUST BE RECEIVED BY AND UNDER THE NAME OF SUCH COMPOSER												
PARENT COIL POS DIA COND % ELONG ELONG METHOD ELONG GAUGE LENGTH TENSILE STRENGTH (KSI) Y.S. OFFSET (KSI) ROCKWELL HARDNESS HRC Rockwell Hardness HRC												
607776-428A T 1 A.S.T.M. 56.0 MEASURED 2.10in 98 44.8 BW 83 BW 83												
PARENT COIL POS DIA COND ASTM A 362 PRACTICE E BEND 180 IT PASS												
607776-428A T 1 A.S.T.M. PASS PASS												

OLBERT METAL SALES LIMITED
THYSSENKRUPP MATERIALS NA
STAINLESS CR SHEET 304L
18 GA (.044 - .047) X 48.000" X 96.000"
PART NO.

PO/Rel 1603226

Certificate of Mill Test Results
BL TO-008062-001
8Dec11
Pg 1/1

PO/Rel 16032

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Signed by:

BL PEC-750657-003

運錫鋼鐵股份有限公司

YUEN CHANG STAINLESS STEEL CO., LTD.

檢驗證明書

INSPECTION CERTIFICATE

列印日期(ISSUE DATE): 2011/09/30

高雄市前金區中正路235號 13F
13-F, No. 235, Jungeng, 4th Road
Chiangjin Chiu, Kaohsiung, Taiwan.

PO No.: 82518
Shipment No.: 4970

ORIGINAL

Global Stainless Steel Inc.
1150 Meyerside Drive, Mississauga,
Ontario, Canada, L5T 1J4

客戶名稱 Customer	鋼捲編號 Coil No.	爐號 Heat No.	鋼種 Steel Grade	表面 Finish	產品尺寸(MM) Thickness x Width x Length	淨重(KG) Net Weight
項目 Item						
8	KA10505990E10-3	A1101712	304	NO.4	1.20 x 1219 x 3048	1,386
9	KA10508840J20-3	A1101752	304	NO.4	1.50 x 1219 x 3048	1,142
10	KA10508840J20-4	A1101752	304	NO.4	1.50 x 1219 x 3048	1,134
11	KA10505150E10-1	A2101743	304	2B	1.50 x 1219 x 2438	1,814
12	KA10336420D10	A2101093	304	2B	0.90 x 1219 x 2438	1,161
13	H4886-1	B9857-4000	304	2B	3.00 x 1219 x 2438	1,108
14	KA10505990E20	A1101712	304	2B	1.20 x 1219 x 3048	1,368

化學成份 Chemical Composition (%)

項目 Item	C	Si	Mn	P	S	Cr	Ni	N	抗拉強度 T.S N/MM ²	降伏強度 Y.S(0.2%) N/MM ²	伸長率 Elong (%)	硬度 Hardness HRB	硬度 Hardness HV
8	0.040	0.460	1.130	0.039	0.001	18.100	8.000	0.050	686	288	55.0	87.5	-
9	0.040	0.460	1.110	0.036	0.002	18.200	8.000	0.040	663	325	56.0	83.0	-
10	0.040	0.460	1.110	0.036	0.002	18.200	8.000	0.040	663	325	56.0	83.0	-
11	0.050	0.320	1.170	0.037	0.001	18.200	8.000	0.040	658	271	58.0	79.5	-
12	0.040	0.390	1.170	0.035	0.002	18.000	8.000	0.040	658	290	57.5	84.5	-
13	0.046	0.414	1.195	0.033	0.003	18.075	8.063	0.054	640	274	56.3	84.2	-
14	0.040	0.460	1.130	0.039	0.001	18.100	8.000	0.050	686	288	55.0	87.5	-

茲證明本表所列產品，均依材料規格製造及試驗，並符合規格之要求。

We hereby certify that the products described herein have been manufactured and tested with

Satisfactory results in accordance with the requirement of the above material specification.

本產品無輻射污染，並且不含汞。

The material described above is free irradiation and free mercury.

Accordance With ASTM A240 And ASTM A480

For and on behalf of
YUEN CHANG STAINLESS
STEEL CO., LTD.

Authorized Signature

DART aerospace
Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER
Purchase Order ID PO16032
Purchase Order Date 1/30/12
PO Print Date 1/30/12
Page Number 1 of 2

Order From :
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275, POSTAL "A"
TORONTO, ON M5W 5V8
CA

Contact Name
Vendor Phone 905 669 9444
Vendor Fax 905 738 9033
Vendor Account Nbr
Buyer
Requisition Nbr
Tax Resale Nbr
Terms
Currency
FOB
Chantal Lavoie
10127-2607
Net 30
CAD
Destination-Collect

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference	Revision ID	Vendor Part Number	Description/	Mfg ID	Reg Date/	Reg Qty/	Ship Method	Unit Price	Extended Price
1	M304S11GA			304/316 0.125 Sheet		2/03/12	32.00	Yours ppd	\$9.6875	\$310.00
				MATERIAL: AISI 304/316 SS SHEET						
				ANNEALED 2B FINISH						
				AS PER MIL-S-5059 OR AMS 5513 (304)						
				OR AMS 5524 (316)						
				OR ASTM A240 OR ASME SA240						
2	M304S18GA			304/316 .050 Sheet		2/03/12	128.00	Yours ppd	\$3.8952	\$498.58
				MATERIAL: AISI 304/316 SS SHEET						
				ANNEALED 2B FINISH						
				AS PER MIL-S-5059 OR AMS 5513 (304)						
				OR AMS 5524 (316)						
				OR ASTM A240 OR ASME SA240						
3	M304S20GA			304/316 .040 Sheet		2/03/12	160.00	Yours ppd	\$3.0426	\$486.82
				MATERIAL: AISI 304/316 SS SHEET						
				ANNEALED 2B FINISH						
				AS PER MIL-S-5059 OR AMS 5513 (304)						
				OR AMS 5524 (316)						
				OR ASTM A240 OR ASME SA240						

Change Nbr: 1
Change Date: 1/30/12
No substitution or deviation without consent.
Certificate of Conformity or Material
Certification required when applicable

DART aerospace

Purchase Order Date 1/30/12
PO Print Date 1/30/12

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL-C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Buyer	Requisition Nbr	Tax Resale Nbr	Terms	Currency	FOB
-------	-----------------	----------------	-------	----------	-----

Chantal Lavoie
10127-2607
Net 30
CAD
Destination-Collect

MATERIAL: AISI 304/316 SS SHEET
ANNEALED 2B FINISH
AS PER MIL-S-5059 OR AMS 5513 (304)
OR AMS 5524 (316)
OR ASTM A240 OR ASME SA240

Yes

JS

MATERIAL: AISI 304/316 SS SHEET
ANNEALED 2B FINISH
AS PER MIL-S-5059 OR AMS 5513 (304)
OR AMS 5524 (316)
OR ASTM A240 OR ASME SA240

\$1,715.40

MATERIAL CERTIFICATION
READ UPON DELIVERY

Change Date: 1/30/12

Change Nbr: 1